

## Approved Use

EVENTITY® is a prescription medicine used to treat osteoporosis in women after menopause who are at high risk of fracture, or cannot use another osteoporosis medicine or other osteoporosis medicines did not work well.



# BUILD A PLAN NOW WITH A PROACTIVE CONVERSATION

Can building new bone with EVENTITY® help protect you from a potentially life-altering fracture? **This guide can help you find out.**

## DETERMINE YOUR FRACTURE RISK

### ASK YOUR DOCTOR:

- In the next year, how likely am I to break a bone due to my postmenopausal osteoporosis?
- Do I need a bone density scan? (called a DXA or DEXA scan)
- Do I need medication if I haven't had any symptoms?

**i** A broken bone is often the first sign or symptom of osteoporosis. Before a break happens, ask if EVENTITY is right for you.

**UP TO 20%  
OF BONE LOSS**

happens in the **first 5 to 7 years** after menopause.

**2 OUT OF 3  
WOMEN**

with postmenopausal osteoporosis at high risk for fracture **will break a bone in their lifetime**

## UNDERSTAND YOUR TREATMENT OPTIONS

### ASK YOUR DOCTOR:

- Is there more than one way to treat the bone loss caused by my postmenopausal osteoporosis?
- What's the difference between building new bone and slowing bone loss?
- How is EVENTITY different from other osteoporosis treatments?

**i** Many osteoporosis treatments build bone density to help slow bone loss. Others build new bone. Only EVENTITY does both.

### EVENTITY WORKS IN TWO WAYS:



## Important Safety Information

What is the most important information I should know about EVENTITY?

EVENTITY can cause serious side effects, including increased risk of having a heart attack, stroke, or death from a cardiovascular (heart or blood vessel) problem. Call your healthcare provider or get emergency help right away if you have any of these symptoms: symptoms of heart attack, which may include: chest pain or pressure; shortness of breath; feeling light-headed or dizzy; or symptoms of stroke, which may include: headache; numbness or weakness in face, arm, or legs; difficulty talking; changes in vision or loss of balance. Before you receive EVENTITY, tell your healthcare provider if you have had a heart attack or stroke, especially if it has happened in the past year.

Please see the following pages for Approved Use and Important Safety Information for EVENTITY.

© 2025 Amgen Inc. All rights reserved. USA-785-82856 08/25

## SEE IF BUILDING BONE WITH EVENITY IS RIGHT FOR YOU

### ASK YOUR DOCTOR:

- Is EVENITY an option for me?
- How quickly does EVENITY start working?
- Can I start now to help reduce my risk of fracture as soon as possible?

**IN JUST**  
**12**  
**MONTHS**

**EVENITY is proven to**  
**SIGNIFICANTLY**  
**REDUCE SPINE**  
**FRACTURE RISK**



EVENITY rapidly builds new bone and is proven to reduce spine fracture risk in just 12 months. The sooner you start, the faster you can lower your risk of breaking a bone.



Each EVENITY dose consists of 2 shots given under your skin every month by your doctor or healthcare provider.

You should take calcium and vitamin D as your doctor tells you to while you receive EVENITY.

### DEEPEN YOUR DISCUSSION ABOUT EVENITY

- How is EVENITY taken?
- What are the potential risks and side effects?
- Are there interactions with other medications?
- Would I need to continue taking calcium and vitamin D supplements?

### REVISIT ALL YOUR RISK FACTORS

The more of the following risk factors you have, the higher your risk of breaking a bone. That's why it's important to act now.

- |   |   |
|---|---|
| <ul style="list-style-type: none"><li><input type="radio"/> T-score less than or equal to -2.5</li><li><input type="radio"/> Age 65 or older</li><li><input type="radio"/> Previous broken bone</li><li><input type="radio"/> History of falling</li><li><input type="radio"/> Parent suffered a hip fracture</li><li><input type="radio"/> Low body weight</li></ul> | <ul style="list-style-type: none"><li><input type="radio"/> Cigarette smoking</li><li><input type="radio"/> Excessive alcohol use (3 or more drinks per day)</li><li><input type="radio"/> Long-term steroid use such as prednisone</li><li><input type="radio"/> Diabetes</li><li><input type="radio"/> Rheumatoid arthritis</li></ul> |
|---|---|

TOTAL:



**DON'T WAIT TO ASK YOUR DOCTOR ABOUT BUILDING BONE WITH EVENITY.**

NOTES:

### Important Safety Information (cont.)

Do not receive EVENITY if you: have low blood calcium; or are allergic to romosozumab or any of the ingredients in EVENITY.



Please see next page for Approved Use and Important Safety Information for EVENITY.

© 2025 Amgen Inc. All rights reserved. USA-785-82856 08/25

**With the Amgen SupportPlus Co-Pay Program** eligible commercially insured patients may pay as little as \$0 per dose, including deductible, co-insurance, and co-payment.\*

\*Eligibility criteria and program maximums apply. See [www.amgensupportplus.com/copay](http://www.amgensupportplus.com/copay) for full Terms and Conditions.

## Important Safety Information

### What is the most important information I should know about EVENITY?

**EVENITY can cause serious side effects, including increased risk of having a heart attack, stroke, or death from a cardiovascular (heart or blood vessel) problem.** Call your healthcare provider or get emergency help right away if you have any of these symptoms: symptoms of **heart attack**, which may include: chest pain or pressure; shortness of breath; feeling light-headed or dizzy; or symptoms of **stroke**, which may include: headache; numbness or weakness in face, arm, or legs; difficulty talking; changes in vision or loss of balance. Before you receive EVENITY, tell your healthcare provider if you have had a heart attack or stroke, especially if it has happened in the past year.

**Do not receive EVENITY if you:** have low blood calcium; or are allergic to romosozumab or any of the ingredients in EVENITY.

**Before receiving EVENITY, tell your healthcare provider about all your medical conditions, including if you:**

- have a history of other heart or blood vessel problems
- have low blood calcium
- cannot take daily calcium and vitamin D
- have kidney problems or are on kidney dialysis
- plan to have dental surgery or teeth removed

### What are the possible side effects of EVENITY?

**EVENITY may cause serious side effects, including:**

**Serious allergic reactions** have happened in people who receive EVENITY. Call your healthcare provider or go to the nearest emergency room right away if you have any symptoms of a serious allergic reaction including: rash; hives; swelling of the face, lips, mouth, tongue, or throat which may cause difficulty in swallowing or breathing.

**Low calcium levels in your blood (hypocalcemia).** EVENITY may lower the calcium levels in your blood. Your low blood calcium should be treated before you receive EVENITY. Call your healthcare provider if you have symptoms of low blood calcium such as: spasms, twitches, or cramps in your muscles; numbness or tingling in your fingers, toes or around your mouth.

**Severe jaw bone problems (osteonecrosis)** may occur. Your healthcare provider should examine your mouth before you start EVENITY and may tell you to see your dentist. Ask your healthcare provider or dentist about good mouth care.

**Unusual thigh bone fractures.** Symptoms of this type of fracture include new or unusual pain in your hip, groin, or thigh.

**The most common side effects of EVENITY include** joint pain and headaches.

These are not all the possible side effects of EVENITY. Call your doctor for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

**Please see accompanying EVENITY full Prescribing Information, including Medication Guide.**

### Approved Use

EVENITY is a prescription medicine used to treat osteoporosis in women after menopause who are at high risk of fracture, or cannot use another osteoporosis medicine or other osteoporosis medicines did not work well.